

| L Number | Hits | Search Text | DB | Time stamp |
|----------|--------|--|---|---------------------|
| 1 | 0 | terada-yukari\$.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 16:15 |
| 2 | 14 | terada-yukari\$.in. | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 17:01 |
| 3 | 7 | terada-yukari\$.in. | USPÄT; US-PGPUB | 2003/06/23 17:12 |
| 4 | 28668 | (speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 17:17 |
| 5 | 25700 | (rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 17:57 |
| 6 | 6995 | (processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 17:21 |
| 7 | 920 | ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program))) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 17:22 |
| 8 | 669 | ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (@ad<19960920 or @rlad<19960920) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:23 |
| 9 | 352817 | (control or controlling) same (vehicle or mobil or car) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 17:25 |
| 10 | 432992 | (control or controlling) same (vehicle or mobile or car or automobile) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 17:28 |

| | | | | |
|----|-------|--|---|---------------------|
| 11 | 227 | (((((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) same (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (@ad<19960920 or @rlad<19960920)) and ((control or controlling) same (vehicle or mobile or car or automobile))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 17:30 |
| 12 | 22713 | (rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:23 |
| 13 | 2437 | 711/103.ccls. or 711/147.ccls. or 711/154.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:00 |
| 14 | 784 | 710/60-61.ccls. or 710/106.ccls. or 710/11.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:00 |
| 15 | 1618 | 709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls. or 709/400.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:00 |
| 16 | 3383 | 713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:00 |
| 17 | 291 | 717/169.ccls. or 717/173.ccls. or 711/175.ccls. or 717/178.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:00 |
| 18 | 1234 | 701/33.ccls. or 701/35.ccls. or 701/24.ccls. or 701/26.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:00 |
| 20 | 759 | ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:23 |
| 21 | 14 | ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (711/103.ccls. or 711/147.ccls. or 711/154.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:39 |

| | | | | |
|----|----|---|---|---------------------|
| 22 | 9 | (((((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (711/103.ccls. or 711/147.ccls. or 711/154.ccls.)) and (@ad<19960920 or @rlad<19960920) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:40 |
| 23 | 0 | (((((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (710/60-61.ccls. or 710/106.ccls. or 710/11.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:39 |
| 24 | 0 | (((((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (709/233.ccls. or 709/248.ccls. or 709/213.ccls. or 709/216.ccls. or 709/400.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:40 |
| 25 | 18 | (((((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:47 |
| 26 | 10 | (((((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (713/400.ccls. or 713/500.ccls. or 713/600.ccls. or 713/1-2.ccls. or 713/100.ccls.)) and (@ad<19960920 or @rlad<19960920) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:48 |

| | | | | |
|----|----|--|---|---------------------|
| 27 | 0 | ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (717/169.ccls. or 717/173.ccls. or 711/175.ccls. or 717/178.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:48 |
| 28 | 11 | ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (701/33.ccls. or 701/35.ccls.or 701/24.ccls. or 701/26.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:48 |
| 29 | 10 | ((rewrit\$3 or re-writ\$3 or reprogram\$ or re-program\$4 or program\$4 or writ\$3 or stor\$3) near6 (nonvolatile or eeprom or prom or eprom or flash\$3 or rom) same ((control or transfer) near2 program)) and ((processor or microprocessor or cpu) same ((speed or baud) same (change or changing or set or setting) same (rewrite or rewriting or reprogram or reprogramming or write or program)))) and (701/33.ccls. or 701/35.ccls.or 701/24.ccls. or 701/26.ccls.) and (@ad<19960920 or @rlad<19960920) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/23 18:48 |